

Declaration of Performance

Superglass Insulation Limited declares that product listed is manufactured for the use in the thermal insulation of buildings that are identified and labelled with the following designation code:

MW 14064-1-S1-WS-MU1
Superwhite Loft Blown Wool

Technical Specification:

| Designation Code | Installed Density | Declared Thermal Conductivity λ_D | Settlement Class | Reaction to Fire Classification | Water Absorption | Water Vapour Diffusion Resistance |
|------------------|--------------------------|---|------------------|---------------------------------|------------------|-----------------------------------|
| MW 14064-1 | $\geq 16 \text{ kg/m}^3$ | 0.042 | S1 | A1 | WS | MU1 |
| MW 14064-1 | $\geq 18 \text{ kg/m}^3$ | 0.040 | S1 | A1 | WS | MU1 |
| MW 14064-1 | $\geq 28 \text{ kg/m}^3$ | 0.036 | S1 | A1 | WS | MU1 |

The product meets the requirements of Annex ZA of Harmonised European Product Standard BS EN 14064-1: 2010 with its conformity established according to Harmonised European Standard BS EN 13172: 2012.

In support of our Declaration of Performance, SP Technical Research Institute of Sweden Certification, Notified body number 0402, having taken product test samples in accordance with a prescribed test plan from our factory established at:

Thistle Industrial Estate, Kerse Road, Stirling,
Scotland FK7 7QQ

First issued on the 14th February 2013

EC Certificate No. 0402-CPR-SC0003-13

That attests on the basis of initial type-testing of the product, initial inspection of the factory and of the Factory Production Control and continuous surveillance, assessment and approval of the factory production control, corresponding to the provisions contained within the Annex ZA of the Harmonised European Standard BS EN 14064-1: 2010 to System 1, fulfil the prescribed requirements.

Signed

Date: 1st August 2016

Location: Stirling

Mark Atherton
Operations Director